

4561 Garfield Road • Auburn, MI 48611

CBVH68MV2-x Datasheet

Product Revision: Rev A

Premium VHDCI 68-pin Male-Male Cables

CBVH68MV2-x Rev A Specifications

Wire	28 AWG, 34 twisted pairs				
Wire shielding	Aluminum foil and aluminum braid with drain wire				
Wire outer diameter	9.8mm nominal				
Wire jacket color	Black				
Connectors (both)	VHDCI 68-pin Male, Metal shell, offset, 9.6mm Typ. Thickness (offset design allows connectors to fit back-to-back onto a stacked connector; 9.6mm thickness allows adjacent stacked connectors on NI equipment.)				
Termination	Soldered				
Pin mapping	All 1:1				
Standard lengths	CBVH68MV2-1 (1ft), CBVH68MV2-1.33 (1.33ft), CBVH68MV2-3 (3ft), CBVH68MV2-6 (6ft), CBVH68MV2-10 (10ft), CBVH68MV2-20 (20ft)				

Pin Numbering



Twisted Pairs and Color Code

Each '&' below indicates twisted pairing, for example 1 & 35 are a pair.

Pin 1: Black	&	Pin 35: Black / White	Pin 18: Light Yellow / White	&	Pin 52: Light Yellow / Black
Pin 2: Brown	&	Pin 36: Brown / White	Pin 19: Orange / White	&	Pin 53: Grey / White
Pin 3: Red	&	Pin 37: Red / Black	Pin 20: Purple / Red	&	Pin 54: Blue / Red
Pin 4: Orange	&	Pin 38: Orange / Black	Pin 21: Purple / Blue	&	Pin 55: Purple / Green
Pin 5: Yellow	&	Pin 39: Yellow / Black	Pin 22: Grey / Red	&	Pin 56: Grey / Blue
Pin 6: Green	&	Pin 40: Green / Black	Pin 23: Grey / Yellow	&	Pin 57: Grey / Green
Pin 7: Blue	&	Pin 41: Blue / White	Pin 24: Orange / Red	&	Pin 58: Yellow / Red
Pin 8: Purple	&	Pin 42: Purple / Black	Pin 25: Light Yellow / Red	&	Pin 59: Light Yellow / Blue
Pin 9: Grey	&	Pin 43: Grey / Black	Pin 26: Yellow / Green	&	Pin 60: Orange / Green
Pin 10: White	&	Pin 44: White / Black	Pin 27: Green / Blue	&	Pin 61: Green / Red
Pin 11: Pink	&	Pin 45: Pink / Black	Pin 28: Pink / Green	&	Pin 62: Pink / Yellow
Pin 12: Light Blue	&	Pin 46: Light Blue / Black	Pin 29: Pink / Red	&	Pin 63: Pink / Blue
Pin 13: White / Brown	&	Pin 47: White / Orange	Pin 30: Light Green	&	Pin 64: Light Green / Black
Pin 14:White / Red	&	Pin 48: White / Blue	Pin 31: Light Green / Green	&	Pin 65: Light Green / Yellow
Pin 15: White / Yellow	&	Pin 49: White / Green	Pin 32: Light Green / Red	&	Pin 66: Light Green / Blue
Pin 16: Red / White	&	Pin 50: Green / White	Pin 33: Light Blue / Red	&	Pin 67: Light Blue / Green
Pin 17: Light Yellow / Green	&	Pin 51: Light Yellow	Pin 34: Light Blue / Yellow	&	Pin 68:Light Blue / Blue
		Shell-Shell: Drain wire			

Notices

- 1. Drawings and specifications are subject to change without notice.
- 2. Winford Engineering, LLC does not authorize any of its products for use in military, medical or other life-critical systems and/or devices. Life-critical devices/systems include devices or systems which, a) are intended for surgical implantation into the body, or b) support or sustain life and whose failure to perform can be reasonably expected to result in injury. Winford Engineering, LLC products are not designed with the components required, and are not subject to the testing required to ensure a level of reliability suitable for the treatment and diagnosis of people. Winford Engineering, LLC shall not be held responsible or liable for damages or injury that occur as a result of the use of this product.

Datasheet Revisions

- 06/26/2024: Initial release
- 07/03/2024: Added note regarding stacked connectors on NI equipment